NAME OF PRODUCT: Photoplasma

FILE NO.: BSI Safety Data Sheet- Photoplasma.1.0

RELEASE DATE: 2012-05-11



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Photoplasma

COMPONENTS: Hydroxyl radicals (•OH) [troposphere detergent], free oxygen atoms (•O) [atomic oxygen], superoxide ions (O2-)

[SYNONYMS] [hyperoxide, dioxide(1-)], ozone (O₃) [triatomic oxygen, trioxygen]

RELEVANT PRODUCTS: All BioZone Scientific International models

MANUFACTURER:

BioZone Scientific International, Inc.

ADDRESS:

Americas: Europe: 7751 Kingspointe Parkway Linnoitustie 4 B 02600 Espoo Suite 124

Orlando, FL 32819 USA Finland

EMERGENCY PHONE: 800-255-3924 (United States, Canada, Puerto Rico, and the U.S. Virgin Islands) ChemTel 24 hour response + 01 or +001-813-248-0585 (all other countries not listed above)

FAX PHONE: Americas: +1 407-876-7630 Europe: + 358 (0)20 743 6620

EMAIL: Americas: infous@biozonescientitic.com Europe: infoeurope@biozonescientitic.com

PRODUCT USE: This SDS is limited to photoplasma produced in gaseous form on site by a BioZone Scientific product, in varying

concentrations in either air or aqueous solution, for the purposes of odor abatement, oxidation of organic compounds, or

antimicrobial intervention, in a variety of applications, from food processing to ground water remediation.

SECTION 1 NOTES: Contact information above provided for use in the Americas, Oceania and Africa. For BioZone Scientific matters in Europe

please contact + 358 (0)20 743 6622 (Finland). For BioZone Scientific matters in Asia please contact + (852) 2372 0218

(Hong Kong).

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME: Hydroxyl radicals [neutral form of the hydroxide ion, troposphere detergent]

[COMMON NAMES] Free oxygen atoms [atomic oxygen] Superoxide ions [hyperoxide, dioxide(1-)]

Ozone [triatomic oxygen, trioxygen]

Hydroxyl radicals: •OH **CHEMICAL FORMULA:**

Free oxygen atoms: •O Superoxide ions: O2-

Ozone: O₃

CAS REGISTRY NUMBER: Hydroxyl radicals: 14280-30-9

Free oxygen atoms: 17778-80-2 Superoxide ions: 11062-77-4

Ozone: 10028-15-6

SECTION 2 NOTES:

SECTION 3: HAZARDS IDENTIFICATION









NAME OF PRODUCT: Photoplasma

FILE NO.: BSI Safety Data Sheet- Photoplasma.1.0

RELEASE DATE: 2012-05-11



GLOBALLY HARMONIZED SYSTEM (GHS) CLASSIFICATIONS:

Physical Hazards	Health Hazards	Environmental Hazards
Oxidizing Gas	Skin Irritation – Category 3	Acute Aquatic Toxicity – Category I
	Eye Irritation – Category 2B	
	Respiratory Systemic Toxicity – Category 1 (Acute & Repeated Exposures)	

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM, CANADA (WHMIS):

D1A	Acute lethality – Very toxic, immediately	С	Oxidizing
D2A	Chronic Toxicity –Very Toxic	F	Dangerously Reactive
D2B	Mutagenicity – Toxic		

SECTION 3 NOTES: NOTE: Severe respiratory toxicity will develop before skin or eye irritation go beyond listed categories. Anyone with

chronic pulmonary problems, especially asthma, should avoid exposure to ozone.

SECTION 4: FIRST AID MEASURES

ROUTE OF ENTRY		SYMPTOMS	FIRST AID
SKIN CONTACT	Yes	Irritation	Rinse with water
SKIN ABSORPTION	No	N/A	N/A
EYE CONTACT	Yes	Irritation	Rinse with water, remove contacts
INGESTION	No	N/A	N/A
INHALATION	Yes	Headache, cough, dry throat, congestion, heavy chest, shortness of breath	Remove to fresh air, provide oxygen
			therapy as needed

SECTION 4 NOTES: For severe cases, or when symptoms don't improve, seek medical help.

SECTION 5: FIRE-FIGHTING MEASURES

FIRE-FIGHTING MEASURES: While Photoplasma itself is not flammable, it is a combination of strong oxidants and may accelerate the rate of burning. Use whatever extinguishing agents are indicated for burning materials.

SECTION 5 NOTES:

SECTION 6: ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Turn off the Photoplasma generator, and ventilate the area. Evacuate the area until Photoplasma levels subside.

SECTION 6 NOTES:

SECTION 7: HANDLING AND STORAGE

HANDLING: Photoplasma must be contained within ozone-resistant tubing and pipes from the generation point to the application point.

Any leaks must be repaired before further use.

SECTION 7 NOTES: Normal precautions should be taken for collection of broken glass.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA Permissible Exposure Limit: 8 hour Time Weighted Average 0.1 ppm **ANSI/ASTM:** 8 hour TWA 0.1 ppm, Short Term Exposure Limit 0.3 ppm

ACGIH: 8 hour TWA 0.1 ppm; STEL 0.3 ppm

NIOSH: Exposure Limit Ceiling Value 0.1 ppm light; 0.08 ppm moderate; 0.05 ppm, heavy; Light, moderate, heavy work TWA <= 2 hours, 0.2 ppm

HSE: Workplace Exposre Limit, Short-term 0.2 ppm

ENGINEERING CONTROLS:

Use standard ozone destruction units (thermal and/or catalytic) for off-gassing Photoplasma.

PERSONAL PROTECTIVE EQUIPMENT FOR ROUTINE HANDLING:

NAME OF PRODUCT: Photoplasma

FILE NO.: BSI Safety Data Sheet- Photoplasma.1.0

RELEASE DATE: 2012-05-11

Use full face self-contained breathing apparatus for entering areas with high concentration of Photoplasma.

SECTION 8 NOTES: Exposure control and protection information are provided for ozone only, as the other components of Photoplasma are not

regulated. Immediately dangerous to life or health at or above 5.0 ppm. When BioZone Scientific products are used as

directed in occupied areas, ozone concerntration in the treated area will be less than 0.05 ppm.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Gas **MOLECULAR WEIGHT: 48.0**

APPEARANCE: Clear at low concentrations, blue at higher concentrations

ODOR: Distinctive pungent odor

ODOR THRESHOLD: 0.02 to 0.05 ppm; sensitivity decreases with exposure

MELINTPOINT: -193°C / -315°F BOILING POINT: -112°C/-169°F VAPOR PRESSURE: > 1 atm VAPOR DENSITY: 1.6 (air = 1)

SOLUBILITY IN WATER: 570 mg/L @20°C, 100% O3; 0.64 @0°C (vol/vol)

pH: N/A

FLASHPOINT: N/A

EVAPORATION RATE: N/A FLAMMABILITY: N/A **EXPLOSIVE LIMITS: N/A RELATIVE DENSITY: N/A PARTITION COEFFICIENT: N/A AUTO-IGNITION TEMPERATURE: N/A DECOMPOSITION TEMPERATURE: N/A**

VISCOSITY: N/A

SECTION 9 NOTES: Physical and chemical property information are provided for ozone only, as the other components of Photoplasma are not

regulated.

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Photoplasma is highly unstable and highly reactive. Avoid contact with oxidizable substances, including alkenes, benzene

and other aromatic compounds, rubber, dicyanogen, bromine diethyl ether, dintrogen tetroxide, nitrogen trichloride, hydrogen bromide, and tetraluorohydrazine. Photoplasma will readily react and spontaneously decompose under normal

ambient temperatures.

SECTION 10 NOTES:

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

Likely routes of exposure: inhalation, eyes, skin exposure.

Effects of acute exposure: Discomfort, including headache; coughing; dry throat; shortness of breath; heavy feeling in chest, including possible pulmonary edema/fluid in the lungs. Higher levels of exposure intensify symptoms. Irritation of skin and eyes are also possible.

Effects of chronic exposure: Similar to acute exposure effects, with possible development of breathing disorders, including asthma.

Inhalation LC50: mice, 12.6 ppm for 3 hours; hamsters, 35.5 ppm for 3 hours.

Irritancy of Ozone	Yes
Sensitization to Ozone	No
Carcinogenicity (NTP, IARC, OSHA)	No
Reproductive Toxicity	Not Proven
Teratogenicity	Not Proven
Mutagenicity	Not Proven
Toxicologically Synergistic Products	Increase susceptibility to allergens, pathogens, irritants



PAGE 3 OF 5

SCIENTIFIC INTERNATIONAL

NAME OF PRODUCT: Photoplasma

FILE NO.: BSI Safety Data Sheet- Photoplasma.1.0

RELEASE DATE: 2012-05-11

SECTION 11 NOTES:



SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:

The immediate surrounding area may be adversely affected by a Ptohoplasma release, particularly plant life. Discharge of Photoplasma in water solution could also be harmful to any aquatic life. Due to natural decomposition, bioaccumulation will not occur, and the area affected would be limited.

SECTION 12 NOTES:

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHOD:

Off-gassing of Photoplasma should be through an ozone destruction unit which uses heat and/or a catalyst to accomplish the breakdown of ozone to oxygen before release into the atmosphere.

SECTION 13 NOTES:

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION:

Not regulated.

SECTION 14 NOTES:

Not applicable, as Photoplasma is unstable and either reacts with other substances in the environment or decomposes, and therefore must be generated at the location and time of use.

SECTION 15: REGULATORY INFORMATION

SARA = Superfund Amendments and Renewal Act

SARA Title III Section 302 Extremely Hazardous Substance TPQ: 100 lbs.

SARA Title III Section 304, EHS RQ: 100 lbs.

SARA Title III Section 313: Ozone is reportable if more than 10,000 lbs. are used/year.

TPQ (Threshold Planning Quantity) requires emergency planning activities if this amount is on site at any time during year RQ (Reportable Quantity) requires any release of this amount into the environment to be reported to the National Response Center

Source: EPA List of Lists

SECTION 15 NOTES: National and international regulations have been consulted and considered in the preparation of this document.

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

The half-life of Photoplasma is much shorter in water than in air. Increased temperature in either solvent decreases the half-life. Published research indicates a half-life of 20 minutes for Photoplasma dissolved in water at 20°C, and a half-life of approximately 25 hours for Photoplasma in dry air at 24°C (McClurkin & Maier, 2010). The practical half-life time is actually less, especially in air, due to air circulation, humidity, the presence of contaminants or walls with which to react, etc. In many situations, with air movement, warmer temperatures, and normal relative humidity, the half-life of Photoplasma in air could be 1 hour or less. Further, ventilation of a closed space to other areas will also disperse the Photoplasma, so that concentration levels can rapidly decrease after generation ceases.

DISCLAIMER:

BioZone Scientific International,Inc. (BSI) provides this information in good faith, but makes no claim as to its comprehensiveness or accuracy. Although the information contained herein has been obtained from recognized technical sources, this Safety Data Sheet is intended solely as a guide for the safe handling of the product by properly trained personnel, and BSI makes no representations or warranties, express or implied, of the merchantability or fitness of the product for any purpose, and BSI will not be responsible for any damages resulting from the use of, or reliance upon, this information. Compliance with all federal, state, and local laws and regulations remains the responsibility of the user.

NAME OF PRODUCT: Photoplasma

FILE NO.: BSI Safety Data Sheet- Photoplasma.1.0

RELEASE DATE: 2012-05-11

SCIENTIFIC INTERNATIONAL

REFERENCES:

- Canadian Centre for Occupational Health and Safety: Chemical Profiles: Ozone http://www.ccohs.ca/oshanswers/chemicals/chem_profiles/ozone
- United Kingdom Health and Safety Executive: Ozone http://www.hse.gov.uk/pubns/priced/eh40.pdf
- Haz-Map: Occupational Exposure to Hazardous Agents: Ozone http://hazmap.nlm.nih.gov/cgi-bin/hazmap_generic?tbl=TblAgents&id=68
- International Chemical Safety Cards #0068: Ozone http://www.cdc.gov/niosh/ipcsneng/neng0068.html
- NIOSH Pocket Guide to Chemical Hazards: Ozone http://www.cdc.gov/niosh/npg/npgd0476.html
- United States of America Centers for Disease Control and Prevention: Ozone http://www.cdc.gov/niosh/idlh/10028156.html Guidance Note EH38 from the Health and Safety Executive: OZONE : Health Hazards and Precautionary Measures
- McClurkin & Maier. Half-Life Time of Ozone as a Function of Air Conditions and Movement. Proceedings of the Tenth International Working Conference on Stored Product Protection, 27 June-2 July 2010, Estoril, Portugal
- United States National Library of Medicine ChemIDplus Lite: Ozone 10028-15-6 http://chem.sis.nlm.nih.gov/chemidplus/ProxyServlet?objectHandle=DBMaint&actionHandle=default&nextPage=jsp/chemidlite/ResultScreen.jsp&T XTSUPERLISTID=0010028156